

IONTOPHORESIS

Ionto Device

- 2 channels to treat 2 sites or deliver 2 medications simultaneously.
- Previous Dosage can be set as default to maintain frequently used treatment parameters.
- Beeping alerts if electrode fault for open current or high impedance.
- Automatic 30 seconds current ramp up and down during power on/off keeps patient comfortable.
- Constant current provides precise, accurate delivery regardless of skin impedance.
- Current can be set in 0.1 mA increments between 0.5mA and 4mA.

Description

030783 Dual Channel Ionto Device

CLINICAL ELECTROTHERAPY

Dynatron® 525

Description

030400 Three-Channel Stimulator

Options

030047 Battery Pack

Intelect® Legend Stimulator

- (4) waveforms: interferential, premodulated, high volt and Russian.

Description

030019 Four-Channel Stimulator
030020 Two-Channel Stimulator

Intelect® Legend XT

- Allows addition of (2) Channels of Electrotherapy or a Battery Module.
- Dual frequency ultrasound at 1 or 3.3 MHz.
- Includes Patient Interrupt Switch, (5) Patient Data Cards, (1) 5 cm2 Sound Head Applicator, Channel 1 and Channel 2 Electrotherapy Leadwires, (4) 2.75" Dura-Stick® II Electrodes, (2) 3" Black Rubber Carbon Electrodes, (2) 3" Red Rubber Carbon Electrodes, (2) Nylatex® Wraps and (1) 8.5 oz. Conductor™ Ultrasound Gel.
- Therapy Systems Cart maximizes storage of clinical supplies and organizes cables.

Description

030116 2-Channel Electrotherapy
030117 4-Channel Electrotherapy
030118 2-Channel Combination
030119 4-Channel Combination

With Cart

030120 2-Channel Electrotherapy
030121 4-Channel Electrotherapy
030122 2-Channel Combination
030123 4-Channel Combination



030783

Delivers a constant direct current no matter the resistance level.



030400

(3) treatment channels and battery operable. Interferential, premodulated, biphasic and high volt stimulation waveforms. Portable, less than 4 lbs.



030019

Includes both red and black 3" round electrodes and lead wires as standard equipment.



030116

Intelect® Legend XT units are an award winning, ergonomic design with a range of therapies in a single state of art unit.



030123

Intelect® Legend XT units with Therapy System Cart.

Options


030095 Intelect® Legend XT Therapy Cart
030124 Channel 3 & 4 Electrotherapy Module
030125 Intelect® Legend XT Battery Module
030126 Patient Data Cards; (25) Cards/Pack
030128 Operator Remote; Channels 1 & 2
030129 Operator Remote; Channels 3 & 4
030134 1 cm2 Applicator
030135 2 cm2 Applicator
030136 5 cm2 Applicator
030137 10 cm2 Applicator
030138 Intelect® Legend XT Carry Bag
030139 Channel 1 & 2 Patient Interrupt Switch
030140 Channel 3 & 4 Patient Interrupt Switch

iontoPatch®

Electronic Transdermal Iontophoretic Drug Delivery System

The original iontophoretic patch. Iontophoresis with the battery built in!

The IontoPatch® Family of Products



*Study data on file.

IontoPatch® 80

Treats most areas, including elbows, knees, wrists, feet and shoulders. 14-hour average patient wear time.*

IontoPatch^{STAT}®

The same Iontopatch 80 benefits in shorter 4-hour average patient wear time.*
Treats most areas, including feet, elbows, knees, wrists, and shoulders.

IontoPatch® SP

Treats smaller areas, including fingers and Achilles tendon. 14-hour average patient wear time.*

Natural skin permeation.

No charging station or controller required.

Wrappable, compressible, weight bearing.

- The Original Iontophoretic Patch proven by experience:
 - over 5.0 million administered.
 - supported by peer-reviewed published studies.
- Family of three products to treat large & small areas, and a shorter wear time
- Extended time-released iontophoresis
- More cost-effective & less time consuming
- More drug delivered & remains localized
- More patients improve faster

Item No.	Product Description	
026501	Original (6) IontoPatch® 80 (80mA-min w/ (6) saline vials)	Box of 6
026502	(6) IontoPatch® SP (40mA-min) w/ (6) saline vials	Box of 6
026503	(6) IontoPatch STAT® (80mA-min) w/ (6) saline vials	Box of 6

IontoPatch® is an extended time-released electronic transdermal drug delivery system. An innovative, self-contained battery produces an electric current to carry drug molecules non-invasively across the skin and to underlying tissue. Drug delivery is shut off automatically when the prescribed dosage has been administered. The IontoPatch is single-use and disposable.



See the link to the IontoPatch Application Instruction Video located at the IontoPatch website at www.iontopatch.com

CLINICAL ELECTROTHERAPY (CON'T)

Intellect® Transport™ Electrotherapy

- 2 channels of electrical stimulation output.
- (4) standard waveforms(10) user-defined memory positions for user protocols.
- Includes channel 1 and channel 2 electrotherapy leadwires, (4) 2.75" Dura-Stick® II electrodes, (2) 3" black rubber carbon electrodes, (2) 3" red rubber carbon electrodes and two Nylatex® wraps.

Description

030145 Intellect® Transport™ Electrotherapy

Options

030095 Therapy Cart
030142 Intellect® Transport™ Carry Bag
030144 Repositionable Base

Winner ST2/ST4-EVO

- Modern compact design
- Five powerful waveforms
- Programming to accommodate rich-mar laser & laser emitters
- 3 year warranty

Description

032015 ST2 - EVO Two Channel Stimulator
032016 ST4 - EVO Four Channel Stimulator

Accessories

031132 StoreMore Therapy Cart
031133 Laser Emitter (200 mW/785 nm)
031134 Laser Module (Required for Laser/Light Applicator)

Sys*Stim 240

- Waveforms: Interferential, Premod, Medium Frequency(Russian), Symmetrical biphasic, asymmetrical biphasic, TENS, Hi-Volt, Micro-Current and DC.
- Light therapy capabilities (Laser and Cluster probes are options.)
- Patented click wheel navigation.
- Built in safety features to protect the patient.

Sys*Stim 240 Description

030193 Two Channel Clinical Stimulation Device

Sys*Stim® 206 Stimulator

Description

030022 Single Channel Stimulator

Sys*Stim® 208

- The 208 is a single channel low volt stimulator with surge, pulse and tentanize modes.
- The 208A is a two channel low volt stimulator with surge, pulse, tetanize and reciprocation modes.

Sys*Stim 208 Description

030388 One Channel; (3) Modes

Sys*Stim® 208A

Sys*Stim 208A Description

030389 Two Channel; (4) Modes



030145

Independent intensity and parameter controls for each channel. Unit uniquely designed for tabletop, wall mount, therapy cart or mobile use. Optional Therapy Cart integrates with the unit to maximize the storage of clinical supplies.



030146

Therapy Cart sold separately



030142

Optional Carrying Case



030144



032016

Programmable Therapy Profiles (EVO Two Channel Stimulator not pictured)



030193

9 waveforms, light therapy capability and battery operated. Built in clinical protocols with anatomical library.



030388

Easy-to-operate knobs that control stimulation intensity and frequency, a digital timer and a remote patient cut-off switch.



030389

Easy-to-operate knobs that control stimulation intensity and frequency, a digital timer and a remote patient cut-off switch.

CLINICAL ELECTROTHERAPY (CON'T)

Sys*Stim® 226 Muscle Stimulator

- (4) waveforms: interferential, pre-modulated, medium frequency(Russian Stim) and biphasic.
- Treatment modes, surge, reciprocation, surge with reciprocation and vector rotation.

Description

030023 2 Channel Multi-Function Stimulator

Sys*Stim® 294 Stimulator

- (4) channel neuromuscular stimulator with (6) waveforms: interferential, premodulated, medium frequency(Russian), biphasic, high volt and microcurrent.

Description

030026 Four-Channel Stimulator

Sys*Stim® Traveling Tote Bags

Accessories Description

030093 For any Sonicator and Sys*Stim Product
030094 For Any Sonicator Plus and Sys*Stim 294 Product



030023

Control (2) independent treatment protocols using the Two Timer Mode.



030026

Up to (4) different treatment protocols may be run simultaneously giving maximum treatment flexibility. Soft-touch control knobs adjusts intensity with confidence. Built in user friendly protocols to aid in quick treatment setup.



030095

Therapy Cart sold separately
Optional Therapy Cart integrates with the unit to maximize the storage of clinical supplies.
Includes (1) 5cmw Soundhead Applicator and (1) 8.5 oz. Conductor™ Ultrasound Gel.
110V or battery-powered option.



030017

(10) user-defined memory positions for user protocols. Pulsed and continuous therapy operation(10%, 20%, 50% and 100%)
Unit uniquely designed for tabletop, wall mount, therapy cart or mobile use.



030093

Fits any mettler Sonicator and Sys*Stim product.



030410

Lightweight and battery operable with 1 and 3 MHz.



030094

Fits any mettler Sonicator Plus and Sys*Stim 294



0300001

1 and 3 MHz frequencies offers continuous, 10%, 20% and 50% duty cycles. Can be combined with E. stim for combination therapy.

ULTRASOUND

Dynatron® 125

- Includes (1) soundhead-specify choice.

Description

030410 Ultrasound

Optional Soundheads

030412 2cm2 Transducer
030413 5cm2 Transducer
030414 10cm2 Transducer

Options

030046 Carrying Case
030047 Battery Pack

Intelect® Legend Ultrasound

Description

030001 Dual Frequency with 5cm2 Soundhead

Optional Soundheads

030002 2cm2 Soundhead

Intelect® Transport™ Ultrasound

- Fully functional 1 and 3.3MHz frequencies with head warming feature on all sound head applicators.

Description

030017 Intelect® Transport™ Ultrasound

Options

030095 Therapy Cart
030141 Intelect® Transport™ Battery Pack
030144 Repositionable Base

Motion1



031149

With the applicator Plug-n-Play Concept, giving the flexibility to add other ultrasound applicators or laser components.



030386

Dual frequency ultrasound, battery operated (optional) and an LCD Display.



030097

Tote Bag for the Sonicator 740



030016

The Legend 4 Channel and 2 Channel Combo units offer the convenience of a full-featured stimulator and ultrasound in one unit.



030390

Easy-to-use membrane panel, designed to assist the clinician with quick set-up.

Therasound Series - EVO

Description

031149 Therasound EVO Unit

Accessories

031136 Therapy Hammer 2cm/5cm

031137 5cm Applicator

031138 10cm Applicator

Therasound Plug N Play

– Comes with choice of 5cm or 10 cm Applicator

Description

031150 1/3 Mz Ultrasound

Sonicator® 740/740X

- Easy to use display.
- Contact meter on the applicator for easy reference.
- Patented Direct Crystal to Patient Contact and a universal applicator cable.

Sonicator® 740 Description

030386 With a 5cm2 at 1MHz and 3MHz

Sonicator® 740X

030387 With (3) Applicators; 5x Dual Applicator, 10cm2 1MHz and 1 cm2 3MHz

Accessories

030097 For Sonicator 740

030398 Battery Pack

COMBINATION THERAPY UNITS

Intelect® Legend Combination Units

- (4) waveforms: interferential, premodulated, russian and high volt.
- 5cm2 soundhead has 1 and 3.3.MHz frequencies, 10%, 20%, 50% and continuous duty cycle selections and head warming.
- High volt available on all channels.

Description

030015 Two Channel Combination Unit

030016 Four Channel Combination Unit

Optional Soundheads

030000 5cm2 Soundhead

030003 10cm2 Soundhead

Sonicator Plus® 930

- Features a 1 and 3 MHz 5cm2 applicator for therapeutic ultrasound and the (3) most popular stimulations waveforms for the busy practice: interferential, premodulated and medium frequency(Russian).
- Up to (3) protocols may be run simultaneously on (3) different timers.
- Built-in user friendly protocols for quick set up.

Description

030390 Two Channel Combination Unit



030197



030195

Easy to use membrane with large intensity control knobs. 5 independent timers for multiple patients.



030194

Easy to use membrane with large intensity control knobs. 3 independent timers for multiple patients.



032001

Autosound/ultrasound/stim, with six waveforms and easy to use touchscreen.



030284

Multiple applications for single patient use.

COMBINATION THERAPY UNITS (CON'T)

Sonicator Plus® 940

- (5) independent channels and timers
- Interferential, Premodulated, Medium Frequency (Russian), EMS, High Volt, TENS, Microcurrent and Direct Current(DC)
- 61 present programs
- Space for 80 user-defined programs.
- Touch Screen user interface.

Sonicator Plus 940 Description

030197 with 8 stimulation waveforms and 1 & 3 MHz ultrasound

Sonicator Plus® 992

- (6) Waveforms: Interferential, Premod, Biphasic, Medium Frequency(Russian), Hi-Volt and Micro-current.
- 5cm2 applicator with 1 & 3 MHz
- Built in clinical protocols for ease of use.
- Up to (3) patients may be treated simultaneously on (3) different timers.

Description

030194 Two Channel Combination Device

Sonicator Plus® 994

- (6) Waveforms: Interferential, Premod, Biphasic, Medium Frequency(Russian), Hi-Volt and Micro-current.
- 5cm2 applicator with 1 & 3 MHz.
- 10cm2 and 1cm2 applicators available.
- Built in Clinical protocols for easy of use.
- Up to (5) patients may be treated simultaneously on five different timers.

Sonicator Plus 994 Description

030195 Four Channel Combination Device

AutoSound 9.6

- Hands free AutoSound Applicator
- Therapy Hammer - 2cm/5cm combo soundhead
- Touchscreen control
- 1 & 3 mHz Ultrasound
- 4 independent stim channels
- 1-year Warranty(5-year extended available)

Description

030284 AutoGel Pads
032001 AutoSound 9.6

Motion1

Winner CM2/CM4-EVO

- Modern compact design
- 2 or 4 independent channels of stim w/five waveforms
- EVO plug -n-play
- Programming to accommodate all Rich-Mar ultrasound applicators
- Comes with 5cm soundhead
- 3 year warranty

Description

032013	CM2 - EVO Two Combo
032014	CM4 - EVO Four Combo

Accessories

031132	StoreMore Therapy Cart
031134	Laser Module (Required for Laser/Light Applicator)
031135	AutoSound Ultrasound Applicator
031136	Therapy Hammer 2cm/5cm
031137	5cm Applicator
031138	10cm Applicator
031139	AutoPrism Light Cluster

Theratouch Series

- Touch Screen Stimulator
- Four Channels of Stimulation
- Six Waveforms
- Independent Channels
- Programmable Therapy Profiles
- 3 Year Warranty

Description

032011	Theratouch 4.7
032012	Theratouch 7.7

Theratouch RL

Description

031140	Theratouch 7.7/4 Channel Combo w/ Laser
031141	Theratouch 4.7/4 Channel Stim w/ Laser

therapeutic modalities



032013

5 stimulation waveforms available on all channels. Patented "Therapy Hammer" 2/5cm Manual Soundhead. (CM2 not pictured)



032014



031132



031139

With the applicator Plug-n-Play Concept, giving the flexibility to add other ultrasound applicators or laser components.



032012

Four Channels of Stimulation
Theratouch 7.7 features: Ultrasound & Stimulation Combination Patented "Therapy Hammer" 2/5cm Manual Soundhead



031140

Theratouch series with laser



031258



031259



031260



031261



031257

May not be available in some geographic locations.



031262



031263



031264



031265



031266

May not be available in some geographic locations.

COMBINATION THERAPY UNITS (CON'T)

Dynatron® 50 Series Plus™

- All Channels allow fully independent treatment setups.
- Treatment options include interferential, premodulated, biphasic, high voltage pulsed stimulation, Russian and microcurrent stimulation.
- Unequaled ComboPlus™ Combination Therapy.
- Smartheads™ available in 2, 3, and 10cm2 sizes with 1, 2, and 3 MHz frequencies from one device.
- Patented TARGET AND TARGET SWEEP for Interferential Treatments.

Combo units Description

031258	6 Channel Combo unit w/one soundhead
031259	3 Channel Combo unit w/one soundhead

Stim only units

031260	6 Channel Stim
031261	3 Channel Stim

Ultrasound only unit

031257	Ultrasound w/one soundhead
--------	----------------------------

Dynatron® Solaris 700 Series

- Combined features of 50 Series + line with Light Therapy and Direct Current.
- Patented 3 Frequency Ultrasound.
- Patented Target and Target Sweep.
- Option of adding Light Therapy.

Combo units Description

031262	5 Channel combo unit w/one soundhead
031263	3 Channel Combo unit w/one soundhead

Stim only units

031264	5 Channel Stim
031265	3 Channel Stim

Ultrasound only unit

031266	Ultrasound w/one soundhead
--------	----------------------------



030261

The New LaserPrism Cordless is for professionals on the go.



030263

The New LaserPrism Tethered adapts to ANY new or old Rich-Mar product. Now you can have 3 modalities in 1!

LASER/LIGHT THERAPY

LaserPrism Cordless AC/DC

- 200 mW - Total Power
- 3 GaAlAs Infrared Laser Diodes
- 785 nm
- 3 Factory Presets - (6 Joules, 8 joules, 10 joules)
- 4 hours of continuous use between charges

Description

030261	LaserPrism Cordless AC/DC
--------	---------------------------

LaserPrism Tethered Emitter

- 200mW - Total Power
- 3 GaAlAs Infrared Laser Diodes
- 785 nm
- 3 Factory Presents - (6 joules, 8 joules, 10 joules)

Description

030263	LaserPrism Tethered Emitter
--------	-----------------------------

Rich-Mar Laser Prism Pro-1100

- Preset Factory Protocols, Fully programmable for custom settings, treatment manual and protocol book provided, two sets of goggles.
- SLD Light Cluster: 500 mW - Total Power, covers 22.48/cm² surface area, hands free (Flexstrap) included and comes with carrying case.
- Laser: 200mW of total power, 3 GaAlAs infrared laser diodes, 785nm and three factory presets (6 joules, 8 joules, and 10 joules).

Description

030265 Rich-Mar Laser Prism Pro-1100

AutoPrism Home

- 500 mW - Total Power
- SLD Light Cluster - Covers 22.48/cm² of surface area
- Hands Free - (Flexstrap Included)
- Carrying Case

Description

030262 AutoPrism Home

Apollo Portable Laser

- LCD display that provides probe status and treatment times.
- User controlled treatment times selectable between 10 seconds and 2 minutes.
- Built in safety and fault detection software.
- Built in power meter for testing probe output.
- FDA cleared
- ISO 13485 quality assured manufacturing.
- Weighing less than 3 lbs, Apollo laser is the lightest, most powerful, portable laser you can buy.
- 2 year warranty on total system and 1 year on battery and probe cable.

Apollo Laser Accessories Description

031022	Control Unit Only
031023	2000mW (4x500mW) 810nm Infrared Cluster Probe
031025	Removable Fine-TIP Light Guide
031027	Laser Safety Goggles; (1Pair)
033680	3000mW (4X750mW) 810nm infrared Cluster Probe
033681	Travel Shoulder Bag with Strap

Apollo Laser System

031020	2000mW, 810nm, IR Laser Cluster Probe and Accessories
033679	3000mW, 810nm, IR Laser Cluster Probe and Accessories

Dynatron® Light Therapy

- Light Pad makes treating larger areas practical and unattended.
- 880+ probe is Red/IR Light Probe
- 405 probe is Blue/IR Light probe.

Accessories Description

031269	Booster Box
031270	880+ Light Probe
031271	XP Light Pad
031272	450 Light Probe

Dynatron® X3

- Allows 3 independent treatments (2 unattended pads and 1 probe).
- State of the art touch screen makes it simple to use.
- Light Pads and probes sold separately.

Description

031268 Stand-alone Light Unit



030265

The Rich-Mar Phototherapy Treatment System offers programmable treatment settings, hand-held low level laser emitter and two SLD Hands Free Clusters.



030262

The New AutoPrism Home offers home care choice to patients while being programmed and monitored by clinicians.



031020

Complete systems includes: portable control unit, choice of one laser probe, power adapter, probe cable, goggles, carrying case, book, and dvd.



031269

May not be available in some geographic locations.



031268

May not be available in some geographic locations.

LASER/LIGHT THERAPY (CON'T)

HealthLight™ Products

- Infrared therapy devices are cleared by the FDA for improving local circulation and relieving pain and inflammation.
- System consisting of seven uniquely shaped and sized pad accessories that may be paired in any combination with either a two or three port device controller.
- Works by having a number of infrared and visible light emitting diodes on flexible neoprene pads that can be applied directly to the skin on any body part.
- Series 1 is primarily used for pain and inflammation most often associated with diabetic or chemo related peripheral neuropathy.
- Series 2 for other pain management or accelerated wound closure.

Series 1 Universal Podiatric Boot

031215 Universal Podiatric Single Boot

Combo foot & leg system

031216 Combo Standard Boot & 50 LED Pad

031221 Combo Variant Boot & 50 LED Pad - Clinic

Universal Podiatric Boot

031222 Universal Podiatric Dual Boot

series 2 Sports Pad System

031217 120 Diode Sports Pad System

Universal 2 "Pain Buster" Pad

031218 Universal 2 " Pain Buster Pad

Series 2 System

031219 Medium (8"x9") pad system - 132 Diode system (red)

031220 Large (9"x15") pad system - 264 Diode system (red)

Series 2 Mini Pro

031223 Dual Foot and leg 132 Diode , small leg pad

MR4 ACTIV Portable Laser Therapy Device

- 6 treatment programs
- Combines blue and red light to treat more conditions.
- Use red or blue alone or pulse intermittently via 6 settings.
- Easy to use protocols.
- Portable with up to 8 hours of power (ideal for treatments in-the-field or sporting events).
- Management of chronic and acute pain
- Improvement of flexibility and stamina
- Accelerated healing, faster recovery
- FDA clearance

Description

031209 Portable Super Pulsed Laser Therapy




031215



031216



031221



031217



031222



031218



031219



031219



031223

This system is one boot and one pad.



031209

MR4 Laser Package with LaserStim Emitter

- The new LaserStim™ emitter is the first of its kind, a hybrid probe that provides both light therapy and electrical stimulation. The FDA approved LaserStim™ combination probe can provide simultaneous or independent light and electrical stimulation applications for superior clinical applications and outcomes. Based on the SE25 emitter, the single super pulsed diode produces 25W of peak power as well as incorporating Red LEDs, Infrared emitting diodes and the static magnetic field.

Each MR4 package includes:

- Soft Carrying Case
- Two pair of laser goggles
- Operating Manual & User Guide
- Treatment Protocol Manual
- 2 Year Limited Warranty

Description

031208 MR4 Laser Package with LaserStim Emitter

MR4 Laser Package with SE25 Emitter

- This system includes the SE25 standard emitter. The ability to attach probes to the SE25 makes this emitter extremely versatile. This super pulsed laser system produces 25W of peak laser power. Each MR4 package includes:

- Soft Carrying Case
- Two pair of laser goggles
- Operating Manual & User Guide
- Treatment Protocol Manual
- 2 Year Limited Warranty

Description

031210 MR4 Laser Package with SE25 Emitter

Laser Sys*Stim™ 540

- Therapeutic light therapy for temporary increase in blood circulation, temporary relief of minor muscle and joint aches, pains and stiffness, relaxation of muscles and temporary relief of minor pain and stiffness associated with arthritis.
- All treatment parameters are displayed on the LED displays and controlled via the membrane keypad.

540C Description

030383 Unit with Laser Probe @ 785nm
030384 Unit with Cluster Probe @ 660/950nm

540LC

030382 Unit with Both Probes

TerraQuant Solo Portable

- FDA cleared pain-relieving battery operating device.
- Compact Portable device gives you the power to relieve both chronic and acute pain.
- Super pulsed laser, infrared light, red light, and a static magnetic field.

Description

031213 TQ Solo Portable



031208



030383

The laser probe has a GoAs Diode that emits infrared coherent light at 785 nm. Blue LEDs at 470 nm illuminate the treatment field to show the clinician where the laser is pointed.



030384

An optional SLD/LED cluster probe, with 950 nm SLDS and 660 nm LEDs is also available.



031210



030382

Portable, Battery operated (included) light therapy device.



031213



022056

Durable white powder coat finish.



022057



021020

With and without drawer for convenient storage.



021021



021022

Carts have molded shelves and legs that won't stain, scratch, dent or rust.



030231

Great for larger equipment.



021859

Mobile Stainless Steel - Flat Shelves



021858

Mobile Stainless Steel Tub Carts

MODALITY CARTS

Z-Cart

- Welded steel construction
- 16" x 20" shelf.
- Ships fully assembled and ready to use.
- 200 lbs weight capacity.

	Width	Depth	Height
022056	22"	16"	30"

With Drawer

022057	22"	16"	30"
--------	-----	-----	-----

General Purpose Cart

- Constructed of a high density polyethylene material.
- 4" swivel casters, (2) with locking brake.
- 13" clearance between shelves.
- Available in gray, black or putty.

	Width	Depth	Height
021022	24"	18"	33"

Large Capacity

030231	32"	24"	33"
--------	-----	-----	-----

Poly Cart

- 15" x 19" molded shelves with raised lip on all four sides.
- Extruded aluminum legs with rounded corners and clear protective finish.
- 29" working height with 3" swivel casters.
- Available in gray or white.
- 150lb weight capacity.

	Width	Depth	Height
021020	20"	16"	29"

With Drawer

021021	20"	16"	29"
--------	-----	-----	-----

Stainless Steel Cart

- Rounded handle on either side for versatility.
- Includes four 4" NSF casters, two with locking breaks.
- Assembly Required
- Shelf Clearance is 12"

	Width	Depth	Height
021859	26"	16"	35"

Stainless Steel Tub Cart

- Two tub stainless steel transport cart.
- Top and bottom tubs are 4" deep.
- Includes four 4" locking casters.
- Shelf clearance is 17".

	Width	Depth	Height
021858	33 1/2"	17 1/2"	35 1/2"

Stainless Steel Utility Cart

- Polished stainless steel.
- Welded construction with double-thick 16 gauge legs.
- All shelves heavy duty 22 gauge.
- 300 lbs weight capacity.

Three Shelves	Width	Depth	Height
022052	21"	16"	30"

Three Shelves with Drawer

022053	21"	16"	30"
--------	-----	-----	-----

Two Shelves

022051	21"	16"	19"
--------	-----	-----	-----

Offset Shelf Equipment Cart

- White Powdercoat Finish; 3" Swivel Casters; Staggered shelves.
- 200lb weight capacity.

	Description
030013	Offset Shelf Equipment Cart

Patient Care Cart - 3 Shelf Supply Cart

- Three tub shelf supply cart with 4" swivel casters.
- Includes six dividers to separate space for various storage needs.
- Black color
- Clearance between shelves 11".
- Weight: 26 lbs.

	Width	Depth	Height
021857	15 3/4"	24"	34"

Patient Care Cart - 3 Shelf with Lid

- Three shelf supply cart with 4" swivel casters and lid.
- Includes six dividers to separate space for various storage needs.
- Black color
- Clearance between shelves 11".
- Weight: 31 lbs.

	Width	Depth	Height
021856	15 3/4"	24"	34"

Unhinged Lid

- Unhinged lid turns top tub into flat surface.

Accessories	Description
021860	Unhinged Lid

Locking Lid

- Locking lid available for all MTC models

Accessories	Description
021861	Locking Lid



022052



022053

4" tall drawer with special lead wire gap.



030013

Welded Steel Frame Construction



021857



021856



021860



021861

MODALITY CARTS (CON'T)

Splinting Workstation

- Polished Stainless Steel Construction
- Cabinet Divided for Organization
- Locking Drawer and Cabinet
- 4" Swivel Casters
- Assist Handle/Towel bar

Description

011660 Splinting Workstation

Hot Pack Service Center

- (4) 8 oz. Bottle storage.
- Polished stainless steel and swivel casters.
- Lower center of gravity
- Includes insulating wrap.

	Width	Depth	Height
022381	21"	16"	30"

Description

022382 Six Pack Tank

With Drawer	Width	Depth	Height
022380	21"	16"	30"

Heavy Duty Utility Tub Cart

- Push handle molded into top shelf.
- Easy and quiet rolling 4" casters, two with locking brake.
- Lifetime Warranty.
- 24" W x 18" D x 38 1/2" H. Shelf clearance is 11 3/4".
- Tub shelves are 2 3/4" deep.

Description

022564 3 shelf Black

PORTABLE ELECTROTHERAPY

Mojility Agent MAXTENS 1000

- Dual Channel, 3 Modes, Timer, & Safety Amplitude Cap
- Microprocessor Technology for precision dial performance
- Wave Form: Asymmetrical Bi-Phasic Square Pulse

Description

030481 MAXTENS1000

Mojility Agent MAXTENS 2000

Digital Tens	Description
032041	MAXTENS 2000

Ultima Five

- Digital 5 mode TENS unit with 2 wave forms and a large LCD screen.

Description

030181 5 Mode TENS Unit



011660

Fireproof and Waterproof Design



022381

Safety recessed tank location that keeps (4) pack tanks from tipping.



022382

Safety-recessed hot pack tank storage (six pack size) (Tank not included)



022380

Safety recessed tank location that keeps (4) pack tanks from tipping.



022564

Will not stain, scratch dent or peel.



030481



032041



030181

Impulse® Tens D5

- Safe to wear, even at night.
- As a safety feature, the amplitude drops to “0” when the modes of operation are changed or when the lead wires or electrodes become detached from the patient.
- Sleek, digital, two-channel unit has a flip-top safety cover to prevent buttons from being accidentally pushed during wear.
- Lightweight unit features LCD screen and large push buttons.

Description

030405 Impulse Tens D5

Impulse® EMS D7

- Designed for simplicity and clinical effectiveness.
- Easy-to-read LCD screen and digital keypad.
- Simple-to-understand instructions guide the user through all of the device's operations.
- Includes seven pre-programmed protocols to ensure ease of use.
- Unit features three types of stimulation patterns: continuous, cycled, or reciprocating and adjustable rate and pulse width.

Description

031224 Digital Muscle Stimulator

EMS 2000™

- Dual channel, analog EMS device that increases range of motion, reduces muscle dis-use atrophy, re-educates muscles, prevents venous thrombosis, and improves blood circulation.

Analog EMS Description

030480 EMS2000

IF-4000

- Dual channel (4-lead) analog Interferential
- Bi-polar (2 electrode) or quadra-polar (4 electrode) treatment option
- Adjustable frequency
- Low battery and power on LED indicators
- AC wall adapter or 9V battery power supply
- 1-year warranty

Description

031227 Dual Channel Analog Interferential Stimulator

Pencil Electrode

- Has an On/Off switch so that stimulation can be turned on and off.
- Requires a banana type connector to be plugged into the electrode cable set.
- Compatible with all Mettler stimulators.

Description

030385 Pencil Electrode

BioStim® INF

- The BioStim INF Interferential Stimulator utilizes a pulsed sine wave to stimulate tissue to reduce pain and decrease inflammation.
- Three pre-programmed sweeps for easy setup and patient instruction.

Digital Interferential Description

030081 BioStim® INF

BioStim® NMS2

- Versatile, dual-channel unit functions as an NMS or TENS with maximum control for optimal results.
- The device has seven preprogrammed therapies based upon clinical studies and three types of stimulation: continuous, cycled or reciprocation.

Description

031623 Digital Muscle Stimulator



030480

3 Modes of operation: continuous, cycled and reciprocation.



031227

Device features include adjustable frequency, two or four electrode treatment selection, and four frequency shift options.



030405

Impulse® Tens D5: 5 Mode Digital TENS



031224



030385

Comes with a carry case and four stainless steel tips from the size of a quarter down to a point. Used for manual stimulation procedures where pin-point control is required.



030081

Also program for edema reduction.



031623

PORTABLE ELECTROTHERAPY (CON'T)

BioStim® SD

- Compact, lightweight and functional, dual-channel, four-lead TENS.
- Multiple modes ensure patient success, and the patient will be less apt to acclimate to the therapy when the unit is worn for long periods of time.
- Four programmable functions include: continuous, cycled burst, strength duration (SD) 1, and strength duration (SD) 2.
- SD1 and SD2 provide stimulation to all (more than 100) nerve groups that cause pain, eliminating the guesswork of setting up the device.

Description

031622 4 Mode Digital TENS w/ Strength Duration Modes

DC/AC Point Stimulator

- Used in the evaluation and treatment of muscle dysfunction caused by peripheral and C.N.S. Disorders.
- Most commonly used for preventing or retarding disuse atrophy, relaxing muscle spasms and muscle re-education.
- Ideal for facial and smaller peripheral muscles
- 2 year warranty on materials and workmanship

Description

030038 DC/AC Point Stimulator

GV 350®

- Two active outputs and one dispersive return
- Twin peak monophasic waveform
- 1 Hz - 100 Hz adjustable pulse rate
- Offers continuous or alternating stimulation (alternates between channel one and channel two over five-second intervals)

Description

031624 HighVolt Pulsed Stimulator

Micro Plus™ - Microcurrent Device

- Micro Plus™ Microcurrent Electrical Nerve Stimulator is a Two Channel analog device with 3 polarity settings: Positive, Negative, and BiPolar.

Analog Microcurrent Description

030479 MicroPlus

QuadStar II

- Fully loaded electrotherapy system.
- Portable four-channel device delivers NMS, INF, and TENS sequential stimulation. Great for sports medicine, physical therapy or anyone looking for the convenience and results of three units in one.

Description

031625 TENS, NMS, and INF Combo

Trio*Stim

- Battery-operated, neuromuscular electrical stimulator.
- Large LCD display.
- Memory capabilities for storing protocols.

Description

030035 Trio*Stim



031622



030038

These muscle/neuro-muscular stimulators are effective, easy to use and affordable.



031624



030479



031625



030035

Features three therapeutic modes; TENS, Muscle Stimulation and Microcurrent.



030782

ALLSTIM

- Four channel (8-lead) all digital combo Muscle Stim, Russian Stim, Interferential, and TENS.
- Separate intensity controls for each channel.
- Fully adjustable EMS mode (Synchronous) with programmed default settings.
- Fully adjustable Russian Stim mode with programmed default settings.
- 3 Preset Interferential programs and 1 adjustable frequency program with vector sweep.
- 3 fully adjustable TENS modes (Normal, Burst, and Modulated Width).
- One program can be locked for each EMS, Interferential, and TENS modes.
- 1 year warranty

Description

030782 Four Channel Digital Combination IF/TENS/NMES/Russian Stimulator

ALLSTIM 2

- Dual channel (4-lead) all digital combo Muscle Stim, Russian Stim, Interferential, and TENS.
- Fully adjustable EMS mode (Synchronous) with programmed default settings.
- Fully adjustable Russian Stim mode with programmed default settings.
- 3 Preset Interferential programs and 1 adjustable frequency program with vector sweep.
- 3 fully adjustable TENS modes (Normal, Burst, and Modulated Width).
- One program can be locked for each EMS, Interferential, and TENS modes.
- 1 year warranty

Description

030781 Dual Channel Digital Combination IF/TENS/NMES/Russian Stimulator

TRACTION

Ever-Trac Et-800

- Modes of operation are Intermittent, Static and Harness.
- Minimum force of 5lbs and maximum of 200lbs.
- Equipped with variable speed control, that enables the Therapist to have an almost infinite adjustment of speed in the Pull and Relax modes.
- Includes patient safety switch (manual release), warning alert, and automatic shut down if circuit malfunction is detected.
- Treatment time from 1-99 minutes.
- Power supply 100- 120V and 220-240V.

Description

030775 Ever-Trac ET-800 Traction Unit

Dynatron® 900+ Traction System

- Produces up to 200 pounds of traction tension force.
- Adjustable traction speed with timer.
- One Year Warranty.

Description

031251 Traction Head



030781



030775

Dynatron® DX2 Traction System

- Delivers Decompression Therapy and features 3 channels of light therapy.
- Automatically calculates and digitally displays the rope angle allowing for targeted decompression.
- The interactive touch screen display facilitates patient education and makes treatment set-ups fast and easy.

Description

031254 Dynatron® DX2 Traction System

TX® Traction Unit

- Store up to (10) user defined protocols.
- Intermittent, static and cyclic traction.
- Progressive and regressive steps
- User-defined hold, rest and treatment times.
- Traction tension parameters: 0 to 200 lbs.
- Build-in safety features with patient interrupt switch, cervical maximum poundage warning and audible signal at the end of treatment and if Patient Interrupt Switch is activated.

Description

030156 TX Traction Unit

TX Mobile Traction Stand	Length	Width	Height
030150	34"	27"-40"	26"-39.5"



031254

May not be available in some geographic locations.

031251
Provides Accurate Traction in four Modes: Harmonic, Intermittent, Stepless Progressive, and Static.



030156

Easy to operate with digital monochromatic touch screen interface. Patient data cards record up to (14) treatment sessions. 270 degrees pivoting user interface.



030150

Fully Adjustable. Allows the TX Traction device to be used with most tables. Traction unit sold separately.

TRACTION TABLES

Assist Hi-Lo Traction Table

- Variable height decompression/traction table
- Variable height fixed traction machine mount
- Friction-free rolling top
- Positive/negative head section
- Standard foot switch
- Breathing hole and ply
- Retractable wheel base on variable height mode

	Length	Width	Height
030161	78"	28"	18-37"

Balance Traction Agility Model BAL 2050

- Gas Struts, hand lever activated, providing smooth adjustment at moveable top sections.
- Cushion width of 28" (71 cm) x length of 89" (224 cm)
- Dual foot lever retractable heavy-duty hospital grade casters (4).
- FDA/UL/CSA/CE listed with hospital grade electrical cord and 3-prong plug.
- ADA Compliant
- Frame designed for patient assisted lift accessibility, for ease of patient transfer.
- Cushions secured to the heavy-duty metal frame with an integral T-Nut Bolt assembly.
- Hands free, foot operated up/down elevation levers.
- Color choices: Burgundy, Pewter Gray, Jade Blue, Tan Bisque, Cream, Black, and Imperial Blue

	Description
012514	Balance Traction Agility Model BAL 2050

Options

012515	Foam Memory Face Pad
012516	Handswitch
012517	Hydraulic Elevation Pump
012518	Footswitch
012519	Paper Dispenser
012520	Saddle Stool
012521	Safety Side Rails (2)
012522	Stool
012523	Backup Battery

Dynatron® Hi Lo Traction Table

- 500 lb lifting capacity.
- 30" x 78" table size.
- Height adjusts 18" to 36".
- Standard 4" two way locking casters.

	Description
031252	4-section Traction Table

Dynatron® T4 Traction/Decompression Table

- Manual Traction Pull Bar
- Mobilization Strap Attachment Bar
- 4" Dual Locking Casters
- Dual Full Length Foot Switches
- Swing Away Traction Pedestal
- Dual Full Length Foot Switches
- Available in 13 Naugahyde Colors

	Description
031253	Dynatron® T4 Traction/Decompression Table



030161



012514

Two of the four sections are designed to slide and can be locked in place with a friction free locking mechanism with a spring to control the proper tension required. The back and head section raise and lower. A flexion stool and traction head platform are provided and the platform is designed to mount traction devices.



031252

Comes in 13 Naugahyde color choices.



031253

May not be available in some geographic locations.



030164

Adjustable height range between 19" to 38"

TTET-200 Traction Table

- Two Sections
- Traction Unit Pedestal
- 350 lb Working Load Capacity
- Traction unit sold separately.
- 1 year warranty

	Length	Width	Height
030164	77"	28"	19-38"

Motion1



030163

Features traction unit pedestal and fixed height of 32"



030151

Adjustable height range between 21.5" to 41.5".



030449

33" x 27" foot section raises 80 degrees 17.5" x 27" thoracic section and 10" x 27" center section 15" x 27" head section raises 45 degrees and lowers 90.



030450

33" x 27" foot section raises 80 degrees. 17.5" x 27" thoracic section and 10" x 27" center section Head section consists of 15" x 13" center piece and (2) 12.5" x 5.5" arm rests.



030933

Cervical and lumbar traction source is self-contained. 15% Lateral Bending 15% Rotation 20% Down/25% Up

TTFT-200 Traction Table

	Length	Width	Height
030163	77"	28"	32"
Description			
030165	Table Paper Holder; 20" Wide		
030166	Nose Cushion Kit		

ADP-400 Traction Table

- Friction-Free Gliding Lumbar Section
- Turret Mounted Traction Pedestal
- Head and foot sections incline up to 90 degrees.
- Head section lowers to 25 degrees.
- Standard Hand Control

Options Description

030152	Table Paper Holder; 20" Wide
030153	Nose Cushion Kit
030154	Retractable Front Caster
030155	Foot Control

Traction Table Only	Length	Width	Height
030151	77"	27"	21.5"-41.5"

With TX Traction Unit

030157	77"	27"	21.5"-41.5"
--------	-----	-----	-------------

Armedica™ AM-400 Traction Table

- 1.5" firm density foam with heavy duty vinyl upholstery.
- Footswitch control. 120V, 60Hz.
- Friction free lumbar section separates 5" and rolls on (4) steel ball roller bearings.
- The rolling section can be locked in any position with positive gear rack system.
- Contoured face/nose opening.
- 400 lbs weight capacity.

	Length	Width	Height
030449	99"	27"	18"-37"

Armedica™ AM-450 Traction Table

- 1.5" firm density foam with heavy duty vinyl upholstery.
- Footswitch control. 120V, 60Hz.
- Friction free lumbar section separates 5" and rolls on (4) steel ball roller bearings.
- The rolling section can be locked in any position with positive gear rack system.
- (3) piece head section raises 45° and lowers 90° with contour face/nose opening.
- 400 lbs weight capacity.

	Length	Width	Height
030450	99"	27"	18"-37"

Saunders 3D ActiveTrac™

- The lower half of the table actively separates and incorporates 3D adjustability for ultimate traction positioning (flex/extend, side bending and rotation).
- Intuitive touch screen control panel for easy treatment set-up.
- Hand-held controls for table adjustment.
- Hi-Lo ranges between 35" to 23".
- Comes complete with traditional harness, new slim-line belts, flexion stool, user's guide and Duane Saunderson's extensive traction tutorial.
- Available in (6) standard colors.
- Available through Specialty dealers only.

	Length	Width	Height
030933	Saunders 3D ActiveTrac™		

TRACTION ACCESSORIES

Clinical Cervical Traction Device

- Adapts easily to most traction units and performs horizontal and unilateral traction.

	Description
030897	TX Clevis
030914	For TX Traction System
030915	For Tru Trac Traction System
030916	For Trion Traction System
030917	For Midland Traction System

"EZ-ON" Traction Belt System

	Description
030934	Complete System
030935	Thoracic Only
030936	Pelvic Harness Only

Deluxe Universal Belt System

- Designed with simplicity and quick set up in mind
- Universal fit wrap design with hook and loop closures
- Non-slip design

	Description
027419	Deluxe Universal Belt System

Traction Accessory Package

Replacements	Description
030925	(2) Straps for Thoracic Belt Set



030897

Eliminates uncomfortable head halter and TMJ pressures. Unit pulls at base of occiput for more effective cervical traction.



030934

No need to re-thread the belts to vary patient position or traction technique.



027419



031212

The pillow is constructed with high-quality, precision-cut foam to ensure years of comfort and use.



031255

Uniquely shaped traction belts are designed to be more comfortable.



031211

Designed for the professional to fit the patient in one minute or less.

DynaWrap® Traction Belts

- Disperses force over larger areas due to unique shape.
- Tapered design contours to the body while resisting slippage.
- Strong Velcro closure securely holds against traction forces while being easy to apply and release.
- Package includes Thoracic belt, Lumbar belt, circumferential belt for Lumbar, and Y-strap for securing to the table.

	Description
031255	DynaWrap® Traction Belt Package

RB Traction Table Pillow

- Increases comfort and support during treatment.
- Protects traction tables from wear and tear.
- For use with mechanical cervical traction devices or during manual traction.
- Vinyl cover is easy to clean.

	Description
031212	RB Traction Table Pillow

Traction Table Belt System

- Universal design fits all patient sizes and traction tables.
- Nylon straps slide easily for hassle free adjustments.
- Buckle locks belt instantly into place.
- Swivel clip attaches belt to traction device with minimal effort.

	Description
031211	Traction Table Belt System

Knee Supports for Traction

Description

031256 Knee supports for Traction

Flexion Stool

- Specify color to match your traction table.

Description

030906 Flexion Stool

BIOFEEDBACK

MyoTrac 3 Infniti

- A highly sensitive dual channel SEMG biofeedback device.
- The Clinical system includes BioGraph Infniti Software.
- Over 100 pre-programmed protocols, categorized by body parts, as well as open protocols.
- Vaginal and rectal sensors sold separately.

Description

031233 MyoTrac 3 Infniti

MyoTrac Infniti with Stim

- Offers 2 channels of surface electromyography (SEMG), 2 Channels of Stim and 2 channels of SEMG-Triggered Stim.
- Touch Screen
- Over 100 pre-programmed protocols, categorized by body parts, as well as open protocols.
- Clinical Guide Includes treatment specific print out sheets to document patient progress.
- Patient Lock Feature
- Vaginal and rectal sensors sold separately.

Description

031232 MyoTrac Infniti with Stim

MyoTrac Portable EMG

- Pre-amplification at the treatment site to ensure an extremely clean signal.
- Provides immediate feedback on muscle activity through a bright 13 segment LED's and a proportional tone.
- Key features are alarm function, lock function, and ability to set the band pass for wide or narrow placement and above and below threshold for tonal feedback.

Description

031234 MyoTrac Portable EMG

U-Control EMG

- Built in 5 or 10 second work/rest protocol that corresponds directly to microvolts based on the threshold chosen.
- Features three settings for sound, an earphone for privacy, adjustable volume control and LEDs to Provide instant feedback.
- Includes a 9-volt battery and carrying case.
- Vaginal and rectal sensors sold separately.

Description

031235 U-Control Single Channel EMG Device



031256



030906

Height adjusts from 13" to 20".



031233

Allows Clinicians to monitor two muscle sites simultaneously.



031232

MyoTrac Infniti clinical model also available with BioGraph Infniti software.



031234

Portable, reliable EMG unit is appropriate for the home, clinic or office.



031235

Designed Specifically for incontinence.

BIOFEEDBACK (CON'T)

Pathway™ Mr Series Surface EMG Biofeedback System

- Continuous operation or work/rest prompts.
- Automatic data storage of (32) patient training sessions.
- Computer output.
- Pathway™ Utilities/Compliance software included for data download and real-time graphics.
- Functional electrical stimulator interface.
- Easy to operate.
- Goal types include: above/below tone, above/below stim and maximum display with marker. Also features matrixed audio tone and A/B ratio for dual channel systems.

	Description
030040	MR-25
030041	MR-20
030042	MR-15
030043	MR-10

Pathway™ STM-10

- (4) duty cycles, (4) frequencies, (6) treatment times, tactile buttons for enhanced control and uses a 9V battery.
- Use Pathway vaginal or rectal EMG/Stimulator sensors.

	Description
030101	Vaginal and Rectal Intracavity Stimulation Module

Pathway™ TR Series Patient Units

- LED visual display
- Easy to operate.

Description

030044	TR-20' Dual Channel EMG Trainer
030045	TR-10; Single Channel EMG Trainer

Synergy™ 3-Dimensional Software

- Embedded, modified and linked application and patient protocols.
- Four channel displays
- On-line statistics.
- 3-dimensional graphics, templates and animation.
- Insert patient demographics, intake questionnaire and bladder diaries.
- Review and print reports and compare sessions and diaries.
- EMG, stimulation and pressure combination.

Description

030055	Synergy™ 3-Dimensional Software
--------	---------------------------------

Stabilizer™

- Monitors the position of the low back or cervical spine during muscle testing to determine if the patient is able to selectively isolate their cervical or lumbopelvic core stabilization muscles.
- Provides a patient feedback as to when they have isolated and are maintaining a contraction.
- Includes a display gauge, pressure cell and instruction booklet.

Description

030099	Stabilizer™ Unit
--------	------------------



030040
With vivid tri-color LED displays.



030043



030041
With Alpha/Numeric LCD displays.



030042




030101
Microprocessor controlled and auto step-through program



030044
Continuous operation or work/rest prompts.




030045



030055



030099
The measuring range is from 0 to 200 mmHg analog pressure with an accuracy of +/- 3 mHz pressure. Squeeze bulb to inflate and loosen screw valve to deflate. Simple enough to use during a home exercise program.



031241



031240



022063

Anatomically correct rectangular shape electrodes enhance EMG signal pickups with high sensitivity silver/silver chloride snaps.



030062



030053

Use with Pregelled electrodes.



030051

To adapt the pelvic muscle EMG channel for the EMG clinical units and patient units to sensors or lead wires.



031237

For single patient, multiple use monitoring pelvic floor muscles.

ELECTRODES/SENSORS

Triode Electrodes

- Standard 2cm spacing of silver-silver chloride electrodes.
- Backed with Nickel snaps plated brass to prevent corrosion when connected to pre-amplifiers.

Description

031241 Triode Electrodes

UniGel Electrodes

- Pre-gelled single electrodes, 100/pkg

Description

031240 UniGel Electrodes

Pathway™ EMG/Biofeed Back Electrodes

- For the EMG Clinical Units, EMG Clinical Unit System Configurations Patient Units.
- Rectangular 3 snap in a row style

Description

022063 Pathway™ Electrodes 100/PK

030062 Easytrode™ Pregelled Electrodes 150/bag

Pathway™ Electrode Lead Wire Set

- 24" Electrode Lead Wire Set.
- External pelvic muscle EMG lead wires for the EMG Clinical Units, EMG Clinical Unit System Configurations and Patient Units.
- Use with pregelled electrodes.

Description

030053 Rectal EMG/ Stimulation Sensor

Pathway™ Adapter

- To adapt the pelvic muscle EMG channel for the EMG Clinical Units and Patient Units to the Pathway™ Vaginal/Rectal Sensors, or the Pathway™ EMG/Stimulation Sensors or the 18" Electrode Led Wire Set.

Description

030051 Adapter for Incontinence.

Rectal Sensor No Stim

- The T-bar ensures repeatability of measurement with respect to orientation and depth placement between uses.
- The small overall size and bulb configuration enable comfortable and secure seating of the sensor in a number of client positions including walking, standing or prone.
- For use with MyoTrac 3 and U-Control

Description

031237 Rectal Sensor no Stim

ELECTRODES/SENSORS (CON'T)

Rectal Sensor with Stim

- The electrode used to sense the accessory muscles in a surface EMG electrode
- A surface EMG electrode can also be used to sense pelvic floor muscles activity instead of the vaginal or rectal electrode.
- For MyoTrac Infinity units

Description

031239 Rectal Sensor with Stim

Vaginal Sensor No Stim

- The T-bar ensures repeatability of measurement with respect to orientation and depth placement between uses.
- The small overall size and bulb configuration enable comfortable and secure seating of the sensor in a number of client positions including walking, standing or prone.
- For use with MyoTrac 3 and U-Control

Description

031236 Vaginal Sensor no Stim



031236

For single patient, multiple use monitoring pelvic floor muscles.

Vaginal Sensor with Stim

- The electrode used to sense the accessory muscles in a surface EMG electrode
- A surface EMG electrode can also be used to sense pelvic floor muscles activity instead of the vaginal or rectal electrode.
- For MyoTrac Infinity units

Description

031238 Vaginal Sensor with Stim

Pathway™ EMG/Stimulation Sensors

- Intracavity sensor for the Pathway™ CTS 2000, EMG Clinical Units, EMG Clinical Unit System configurations, patient Units, Liberty™ PFS-200 electrostimulation Unit and other.

Description

030050 Vaginal EMG/Stimulation Sensor
030052 Vaginal/Rectal Sensor; EMG Only
030056 Rectal EMG/Stimulation Sensor

Periform® Vaginal Sensor

Description

022064 Periform® Vaginal Sensor



031238

Electrodes are used vaginally or in the rectum to stimulate or sense the pelvic floor muscles.




030050



030052



030056



022064

Soft, flexible lead and 2mm diameter sockets for connection. Use with electrically isolated sEMG biofeedback equipment in the treatment of stress, urge, or mixed urinary incontinence.

THERMALATORS

Little Therm™ Moist Heating Unit by Whitehall

— The little Therm™ is a miniature of the Thermalator with a four-pack punch. This unit features a clean aesthetic design that occupies a smaller footprint than the standard four-pack.

Description

070394 Thermal-Pack Moist Heating Unit: 8 7/8" L X 13 1/4" W X 13 3/4" H

Mobile Heating Units

T-12-M; Mobile	Height	Length	Width
070244	32"	24"	16"
T-8-M; Mobile			
070243	32"	18"	16"

Stationary Heating Units

T-4-S; Stationary	Height	Length	Width
070240	10"	8"	5"
T-6-S; Stationary			
070241	21"	15"	12"
T-8-S; Stationary			
070242	18"	18"	16"



070394
Includes 4 Standard
Size Hot Pack



070243
Constructed of stainless steel.
T-8 Holds 8 standard size hot packs.
T-12 Holds 12 standard size hot packs.



070240
T-4 Holds 4 standard size hot packs.
T-6 Holds 6 standard size hot packs
T-8 Holds 8 Standard size hot packs.

HYDROCOLLATOR® HEATING UNITS

Mobile Heating Units

M-2; 14 gal	27"L	16"W	33"H
022402	Includes 12 Standard HotPacs		
031045	Includes 3 Standard, 3 Oversize, & 3 Cervical HotPacs		
031046	Includes 4 Standard, 2 Oversize, & 4 Cervical HotPacs		
M-4; 27 gal	35"L	20"W	33"H
031047	Includes 8 Oversize & 8 Cervical HotPacs		
031048	Includes 6 Standard, 6 Oversize, & 6 Cervical HotPacs		
022502	Includes 24 Standard HotPacs		

SS-2; Mobile	Height	Length	Width
022302	33"	21"	16"

Stationary Heating Units

— High Quality Stainless Steel that gives constant supply of temperature consistent Hot-Pacs.

E-1; Stationary	Height	Length	Width
022102	16"	13"	8"
E-2; Stationary			
022802	20"	15"	13"



022402
Model SS-2 is versatile for the smaller department or clinic Includes 8 standard size hot packs.



022502



022302



022102
Model E-1 fits on desk top,
counter top or mobile stand.
Includes 4 standard size hot packs.



022802
Model E-2 is a small heating unit
with the capacity for oversized hotpacks.
Includes (2) oversize, (1) Neck contoured
and *3) Standard Size Hot Packs.

HEATING UNIT ACCESSORIES

Side Table Rack

	Height	Depth	Width
022403	27"	16"	21"

FLUIDOTHERAPY UNITS/HEAT THERAPY

Fluidotherapy

- Clinical heating of the upper and lower extremities.
- Specially designed fluidized beds combine the precise control of dry heat temperature and airflow with Cellex® medium to generate the mechanical effects of skin desensitization and limb buoyancy.
- Use for relief of local pain and stiffness associated with non-rheumatoid arthritis, increased local blood circulation and the management of joint range of motion.
- Features microprocessor-based controller, electronic temperature controls, regulated/adjustable air speeds, pulsed or continuous operation modes, electronic treatment timer and wake-up preheat timer.

	Length	Width	Height
072001	34"	11.5"	33"
072002	34"	18.5"	33"

Description

072003	10 lb. Container; Cellex® Dry Heat Medium
072004	Top Sleeve For All Units
072005	Top Sleeve Frame
072006	Side Sleeve For FT110
072007	Side Sleeve For FT115

THERMO-THERAPY

Thermo Therapy

- Gently and warmly massages the extremity, allowing immersion of hand, wrist, foot or ankle; the larger model also accommodates the lower leg.
- Units includes Celstim® and complete instructions.

10 lbs Capacity - TT101

070000	19.5	10.5	15
--------	------	------	----

12 lbs Capacity - TT101L

070050	23	10.5	18
--------	----	------	----

Optional Stand

Description

070083	Stand for Model TT-101; 30" x 13.5"
070084	Stand for Model TT-101L; 33" x 13.5"

Replacement Celstim

070089	Two 5lb plastic containers of sterilized replacement Celstim
--------	--



022403

Adds efficiency with stainless steel work surfaces.



072001

Standard single extremity unit for treating the hand, wrist, elbow, foot and ankle - model 110D.



072002

Treat (2) extremities, (2) hands or (2) feet - model 115D.



072003

10 lbs. of Cellex® Dry Heat medium.



070000

Thermostatically controlled heater that heats up Celstim to a max of 128°F.



070050



070084

Stand sold separately.



070089

PARAFFIN THERAPY

Parabath® Unit

- Great for clinic or home use and is ideal for pain relief and stiffness due to arthritis or injury.
- Thermostatically controlled from 125 to 134 degrees F.
- UL listed

	Length	Width	Height
021250	21"	13"	7"
021251	13"	7"	7 3/4"

Paraffin Unit

- Great for clinic and home and is ideal for relief of pain and stiffness due to arthritis or injury.
- Thermostatically controlled from 125 to 134 degrees F.
- UL Listed.

	Length	Width	Height
020063	12"	6"	6"

Office/Home Paraffin Unit

- Provides therapy from any stable surface.
- Heavy-gauge stainless-steel tank maintains desired temperatures.
- Can be equipped with casters for continuous mobile floor use.
- Overall dimensions: 17"L x 8.25"W x 8.75"H.
- Interior tank dimensions: 12"L x

	Description
020064	Office/Home Paraffin Unit with Timed Sterilizing Circuit
020095	Office/Home Paraffin Unit with Stand

Option

020096	Casters
--------	---------

WaxWell Paraffin Bath

	Description
030266	Unit with 6lb Unscented Paraffin PLUS Liners, Mitt and Bootie

Standard Paraffin Unit

- Provides effective insulation with chrome-plated, heavy-gauge, double walled, highly corrosion-resistant, metal tanks and plastic covers that prevent heat loss.
- Overall dimensions: 18.5"L x 10"W x 13.5"H
- Interior tank dimensions: 14"L x 7"W x 9.5"H
- UL Listed; 110-120V, 60Hz

	Description
020089	Standard Paraffin Unit with Drain, Stand and Timed Sterilizing Circuit

Option

020099	Stand for Standard Paraffin Unit
--------	----------------------------------



021250



021251



020063

Parabath® Unit accommodates hand, foot or elbow.



020064

Two heat circuits: high heat for rapid melting and low heat for thermostatically controlled treatment temperature. Stand with casters makes unit portable.



030118



020090

Deluxe Paraffin Unit accommodates larger capacities, enabling more extensive treatment of arms, hands and feet.



020089

Attractive mahogany molding around the top and bottom of tank helps prevent burns.

Deluxe Paraffin Unit

- Provides effective insulation with chrome-plated, heavy-gauge, double walled, highly corrosion-resistant, metal tanks and plastic covers that prevent heat loss.
- Overall dimensions: 29"L x 15"W x 13.5"H
- Interior tank dimensions: 14"L x 7"W x 9.5"H
- UL Listed; 110-120V, 60Hz

	Description
020090	Deluxe Paraffin Unit with Drain, Stand and Timed Sterilizing Circuit

PARAFFIN THERAPY (CON'T)

Little Dipper™ Paraffin Unit by Whitehall

- There is now a smaller option for professional paraffin baths thanks to the Little Dipper. It is made of the same rugged construction as its bigger cousins, making it an excellent option for hand treatment.

Description

025319 ParaTherapy: 8" L X 8" W X 8" H

Paraffin Refills

Description

020060 6 lbs. Box Refills, (6) 1 lbs. Bars (Unscented)
020061 Case of (6); 6 lbs Boxes (Citrus Scented)

WaxWel Beads

Description

030216 (6) 6 lb. Pellet bags
030267 (6) 1 lb. Pellet bags



025319

Stationary unit supplied with first 2 lbs of wax



020060



030212



023102



023210

Easy-to-read thermometer allows clinicians to monitor the unit's temperature and make adjustments to have cold packs at just the right temperature.

COLD THERAPY

Glacier Freeze™ Chilling Unit

- This front loading chilling unit provides convenient storage for cold packs on (2) stainless steel racks.
- Each rack holds (1) cervical and (6) standard cold packs and is removable for easy access.
- Oversized packs can easily be stored on the bottom shelf.
- Stores ice cups for ice massage in a stainless steel cup holder on the door or on the bottom shelf.

Description

023210 Glacier Freeze™ Chilling Unit

ColPac Freezer

- Five cubic feet of spacious capacity
- Four durable stainless steel shelves
- Comes complete with trays and cup holders
- Shipped with 12 standard size ColPacs
- UL and cUL listed

	Height	Width	Depth
031044	33 1/2"	26"	21 1/4"

Model C-5 Chilling Unit

- Heavy-duty compressor for longer life and faster chilling.
- Drain valve for easy cleaning
- No plumbing connections or special wiring needed.
- Rubber casters for easy movement.
- Includes (6) standard size and (6) half size cold packs.
- UL Listed

	Height	Width	Depth
023102	33"	15.5"	27"

KolPak Cart

- Polished stainless steel
- All shelves heavy duty 22 gauge and double-thick 16 gauge legs.

	Height	Width	Depth
030260	29"	27"	21"



031044



030260

Ideal for chilling units that weight up to 300 lbs.



027376

Includes 4 Standard Size Cold Packs



028034

The Cryo/Cuff System is great for cold and compression therapy applied in the clinic, on the athletic field or at home. Provides intermittent compression and continuous cold therapy.



028000



028001



028008



028014



028015

Little Freeze™ Chilling Unit by Whitehall

- This unit comes with specially designed shelves that facilitate easy removal of the four included glacier packs. It performs the same big chill as the GlacierFreeze in one small, economical unit.

Description

027376 Chilling Unit: 17 1/4L" x 18 1/2W" x 19"H

Aircast® Cryo/Cuff™ Compression Dressing System

- Consists of (3) parts, a cuff that covers the specific body part with pressurized ice, water, a cooler that holds enough water and ice for 6 to 8 hours of cryotherapy and a tube that exchanges the water between the cooler and cuff.
- All cuffs are one size fits all, except for the knee cuff. To determine knee cuff size, measure the circumference of leg 6" above the patella.

Description

028034 Cooler and Tube Assembly Only

Cryo/Cuff Only

028016 Ankle
028019 Knee; Small; 10" to 19"
028020 Knee; Medium; 18" to 23"
028021 Knee; Large; 20" to 31"
028024 Shoulder
028032 Elbow
028033 Hand and Wrist

Cryo/Cuff with Cooler

028000 Ankle
028001 Knee; Small; 10" to 19"
028004 Knee; Medium; 18" to 23"
028005 Knee; Large; 20" to 31"
028008 Shoulder
028014 Elbow
028015 Hand and Wrist



070380

Delivers Localized Cold Therapy to the patient using a motorized pump to circulate cold water to the desired body area.



070316

Specifically designed for diabetic relief and care. This automatic hot water therapy system provides instant heat.

Active Ice™ Cold Therapy System

- System includes 9 quart ice and water reservoir, insulated water transfer tubes, (1) elastic hook and loop belt, (1) wall transformer, (1) Universal Therapy Wrap, instructions.

Description

070380 Soft-Ice System

Options

070381 Battery Pack
070382 Optional Timer

Aqua Relief System

- Automatic hot water therapy system
- ideal for those with diabetes, carpal tunnel, or arthritis.
- Heat helps improve circulation and relieve pain.
- Provides pain relief in joints and sore muscles.
- Temperature range between 40-105 degrees Fahrenheit.
- Accessories sold separately
- Can use as cold therapy to reduce swelling and edema.

Description

070316 Aqua Relief System

COLD THERAPY (CONT)

Arctic Ice System

- Reduces Pain and Swelling
- Provides 3-4 hours of treatment on one single fill of ice and water.
- Can be used continuously without interruption.
- Comfortable, easy to use, and portable
- Cool water is circulated 360 degrees around treatment area.
- Accessories sold separately

Description

022869 Artic Ice System

Accessories

022870 Universal Therapy Pad U-Shaped
 022872 Single Therapy Boot - Std.
 022873 Double Therapy Boot - Std.
 022874 Single Therapy Boot - Lg.
 022875 Double Therapy Boot - Lg.
 022876 Large Back Pad 13" x 24"
 022877 Therapy Mitt
 022879 Joint Wrap for Universal Pad
 022881 Compression Wrap for Back Pad

Scotsman® Ice Machines

- Energy saving systems that optimizes cycle efficiency and ice quality.

Description

030401 Flaker, Undercounter; 80 lb Bin Capacity; 395 lbs/24 hrs
 031248 Cuber, Undercounter; 80 lb Bin Capacity; 200 lbs/24 hrs

Options

030403 Single Water Filtration System



022872



022876



022877



030401

Delivers steady flow of ice for fast recovery of ice supply.



031248

Uses significantly less energy and water than other cube ice machines



031049

Bio Cryo Compression system that delivers deep tissue cold therapy. Can treat two extremities simultaneously



030556



030557

Delivers consistent deep tissue cold therapy for several hours.



030558



030559

CRYOTHERAPY

Biocryo Cold Compression Therapy System

- Pressure range: 0-125mm Hg.
- Cycle Time: 18 secs per chamber.
- Inflation: 72 secs
- Deflation time: 18 secs.
- Safely administers, cold, sequential, gradient compression.

Description

031049 BioCryo System

Cryo Garmets

030556 Arm
 030557 Arm with Shoulder
 030558 Half Leg
 030559 Full Leg



022869



022870

Prothermo PT-7

- Device with various wraps for Alternating/Intermittent Compression between 35mmHg and 15mmHg.
- Automatically alternates from hot to cold therapy 20 minutes at 49 degrees F and 10 minutes 105 degrees F.
- Reduction of edema associated with soft tissue injuries such as burns, postoperative edema, and ligament sprains.
- Treatment of disorders associated with vascular or lymphatic insufficiency.
- Cold and Heat Therapy for pain management.
- No ice required.

Description

031273 Compression and Localized Thermal Therapy device

Premium Wrap

031274 Knee Large (half leg) Wrap
 031275 Full Leg Wrap
 031276 Arm (half) Wrap
 031277 Arm (full) Wrap
 031278 Back Wrap
 031279 Mini Wrap with compression
 031280 Cervical Total Wrap
 031281 Universal "U" Wrap
 031282 Foot/Ankle Wrap
 031283 Hip Wrap
 031284 Shoulder (large) Wrap w/straps
 031285 Shoulder w/Harness (medium) Wrap

CRYO THERAPY WRAPS

Cryo Pneumatic

- Anatomical Cryo wraps designed to combine the benefits of pneumatic compression with cold therapy; features pump bulb that detaches once desired compression is achieved.
- Indicated for post-op application and as part of a physical therapy or athletic training program; helps diminish swelling/edema, decrease pain and reduce muscle spasms.
- Manufactured from plush foam laminate that is Velcro compatible; removable gel pack with tricot lining; non-toxic gel.
- Two gel versions and additional gel packs also available.

Description

080811 Ankle/Elbow Wrap
 080812 Knee
 080813 Shoulder
 080814 Universal Ext. Straps (pkg/10)



033652



033653



031273

Localized thermal therapy hot or cold for post traumatic and post surgical conditions.



080812



080813

COMPRESSION THERAPY

Power Press Pump

- Used for both medical and esthetic care
- Intended for use in practically all settings
- Small size and light weight
- Easy to operate

Description

033652 Power Q1000 4-Chamber Sequential Pump

Sleeves

033653 Full Leg Sleeve (Single)
 033654 Extension 4 inch (Full Leg)
 033655 Extension 6 inch (Full Leg)
 033656 Extension 8 inch (Full Leg)
 033657 Extension 10 inch (Full Leg)
 033658 Extension 12 inch (Full Leg)
 033661 Half Leg Sleeve (Single)
 033666 Arm Cuff with Hose
 033667 Waist with Hose
 033669 Full Leg LEFT (4 port)
 033670 Full Leg RIGHT (4 port)
 033671 Half Leg Large LEFT (4 port)
 033672 Half Leg Large RIGHT (4 port)

COMPRESSION THERAPY (CON'T)

PresSion® Multi 3

– Use with either uniform(single or (3) chambered garments.

Description	
030367	PresSion® Multi 3

(3) Chamber Inflatable Expanders

030338	Full arm; 30" Long
030420	Half Leg
030823	Full Arm 3/4 Leg
030824	Full Leg

Option

030822	(3) Chamber Hose Set
--------	----------------------

Single Chambered Garments

030350	Foot and Ankle; 10" Long
030351	Half Leg; 20" Long
030352	3/4 Leg; 26" Long
030353	Full Leg; 29" Long
030354	Full Leg; 32" Long
030355	Full Leg; 35" Long
030357	Full Leg Wide; 35" Long
030359	Half Arm; 17" Long
030360	Full Arm; 29" Long
030361	Full Arm; 30" Long



030338

Quick inflation rate, adjustable pressure with Digital Pressure Meter, simple pre-set (35 sec) and deflate (10 sec) times and quiet reliable maintenance free cyclone pump. PresSion Garments feature a flexi-walled inflation socket with a specially designed connector to assure secure hose retention and prevent air shut-off even if the hose kinked or flattened. Inflates (2) garments simultaneously, quick inflation rate, adjustable pressure with Digital Pressure Meter, therapy timer from 15 to 120 minutes and adjustable inflation and deflation times.



030339

Inflatable Expanders allows the clinician to create a custom "off the shelf" garment for patients.



030344



030346



030345



030347



031287



031288

To Treat disorders associated with vascular or lymphatic insufficiency.



031289

PresSion® Multi 6

– Use with either (3) or (6) chamber garments.

Description	
030358	PresSion® Multi 6
Option	
030821	(6) Chamber Hose Set

Sequential PresSion® Garments

– Multi-chambered garment.

(3) Chambers	Description
030339	Full Leg; 32" Long
030344	Half Leg; 20" Long
030346	Half Arm; 17" Long
030362	3/4 Leg; 26" Long

(6) Chambers

030345	Full Leg; 32" Long
030347	Full Arm; 30" Long
030348	3/4 Leg Wide; 26" Long

VascuComp™ 3

– Provides sequential, gradient compression: adjustable pressure settings.
– 7"W x 8"H x 8"D, Weighs 7lbs.
– 4 Chamber full leg wrap, (small, medium, and large).
– 4 Chamber full arm wrap, (small, medium, and large).

Description	
031287	Intermittent Sequential Compression Unit
Wraps	
031288	Lymphedema, full leg, 4 chamber
031289	Lymphedema, full arm, 4 chamber

CONTINUOUS PASSIVE MOTION

ARTROMOT® E2 Elbow & S3 Shoulder CPM

Options	Description
030841	Patient Data Chipcard

ARTROMOT® E2 Elbow CPM

- Fully synchronized motors allow treatment parameters to be customized to meet patient's specific therapy protocols.
- Easy to use hand control capable of storing treatment data on memory chip card.
- Easy to transport; lightweight at 35 lbs.

Description
030839 Artromot® E2 Elbow CPM Unit

Options
030840 Elbow Fleece Patient Kit

ARTROMOT® K3 and K4 Knee CPM

- (4) hidden programming features: warm-up, patient runtime, device runtime, full speed and motion.
- Features a wide, deep leg orthosis to accommodate larger patients, a wide, stable skid resistant base, reliable solid-state digital electronics and a removable power cord.

K3 Knee CPM	Length	Width	Height
030826	36.6"	14.2"	17"

K4 Knee CPM	Length	Width	Height
030829	45.2"	15.5"	21.7"

Kits for K3	Description
030827	Fleece Patient Kit

Kits for K4	Description
030830	Fleece Patient Kit

ARTROMOT® S3 Shoulder CPM

- Patented universal left/right shoulder design.
- Folds easily for transport/shipping; lightweight design 55 lbs.
- Includes (5) Patient Data Chipcards and an Erasable Pen.

Description
030842 Artromot® S3 Shoulder CPM Unit

Options
030843 Fleece Upper/Lower Arm S3 Patient Kit

030839
True physiological movements with the greatest range of motion.



030826
Handheld programming of device parameters: extension, flexion, pause, force and speed.
K4 features true anatomical hip axis providing precise knee and hip motion.



030830

030827



030842
Easy-to-use hand control for storing treatment data on memory chip card. Fully synchronized motors allow treatment parameters to be customized to meet patient's specific therapy protocols. Ergonomic health armrest and fully adjustable chair.

CONTINUOUS PASSIVE MOTION (CON'T)

Optiflex Ankle CPM

- Provides anatomical motion for the ankle
- Address full ankle range of motion capabilities
- Unique adjustable base for use in bed or chair.

Description

030884 Optiflex Ankle CPM

Kits

030885 Ankle Patient Kit (sold separately)

Optiflex3™ Knee CPM

- Progressive ROM eliminates time consuming adjustments by automatically increasing daily range of motion.
- Oscillation Zone allows more time spent in the “active” or “working” range of motion.
- Fast Back™ accelerates through non-working ROM while knee spends more time in “active” range of motion.
- Meets UL and CSA electrical standards.
- 100 to 240V and 50/60Hz

Description

030832 OptiFlex3™ Knee CPM with Patient Kit

Accessories

030033 Patient Kit for OptiFlex

MASSAGERS

Jeanie Rub™ Massager

- The variable speed unit has a rotary dial switch that provides a choice speed ranging from soothing 1400 rpm to an invigorating 4600 rpm.
- Provides soothing, oscillating massage that safely relaxes tight muscles and stimulates circulation on all body types and sizes.

Description

030693 Single Speed

030694 Variable Speed

Options

030695 Fleece Pad Cover

030696 Nylon Shoulder Bag

030697 Sheepskin Pad Cover

030698 Jeanie Accessory Kit

The Knead

- Multi Adaptable soft tissue mobilization tool that provides myofascial release of tension
- Can be used over clothing or directly on the skin with a massage lubricant
- Cleans easily with soap and water

Description

022891 The Knead



030884



030885



030832

Comfort Zone™ addresses patient pain threshold by providing therapy at a reduced flexion angle limit.



030033



030693

Single speed unit has a toggle switch that operates a heavy duty shaded pole motor at 3240 rpm.



030695

Fleece Pad Cover



030696

Nylon Shoulder Bag



030697

Sheepskin Pad Cover



030698

Jeanie Accessory Kit



022891

Spares Fingers and wrists from excessive pressure as force is directed toward the user's larger muscle groups

Myotool

- Specifically designed to allow patients to self-perform many of the techniques they receive in a clinical setting.
- The two center knobs are spaced to be aligned with the spinal facet joints and paraspinal musculature.
- The design of the long axis without projections allows the tool to be used for pumping massage and spinal mobilization.
- The large endknob is for broader/softer pressure.
- The small endknob is for specific/deeper pressure.
- Bi-knobs and tri-knobs allow for a wider variety of treatment pressures and are very effective at treating the plantar fascia and the first rib.
- The C-shape allows for both hands to be used providing very specific and controlled pressure over the soft tissues and joints.
- The length of the MyoTool gives the user leverage so that little effort is needed to generate and effective pressure to the treatment area.

Description

010580 MyoTool

Pro-Tec Roller Massager

- Raised Vynafoam® sections that sink into soft tissue to roll out tightness.
- Rounded grip ends to provide precision trigger point release.
- Full color instruction manual with massage, trigger point exercises, and techniques for your entire body.
- Get deep tissue stimulation, maximum muscle performance and flexibility, and an expedited recovery.
- Great tool for Myofascial Release.

Description

030777 Pro-Tec Roller Massager

Thera-Band® Roller Massager

- Unique patent-pending ridged design supports both superficial and deep tissue Mobilization.
- Portable version featuring patent-pending retractable handles that's perfect for travel and on the go applications.
- Highly durable latex-free thermoplastic material for extended life and easy cleaning.
- Handles designed to support trigger point release.
- Detailed color instructions featuring general techniques and advanced exercises.

Description

030808 Standard Green Ridged
030809 Portable Green Ridged

Thera-Cane®

- Therapeutic Massager that applies pressure to treat muscle dysfunction.
- Ergonomic Design enhanced leverage for easy use.
- 6 Strategically placed balls for full-body massage.
- Recommended by pain management professionals, chiropractors, and physical therapists for home therapy.
- Two year limited warranty.

Description

050060 Thera-Cane



010580

- Acupressure and trigger point release.
- Neural gliding techniques.
- Soft tissue massage for the spine and extremities.
- Self segmental spinal stabilization
- Mobilization/release of fascia
- Assisted stretching



030777

Pro-Tec Roller Massager with Trigger Point Release Grips.



030808

Innovative tool for myofascial release and deep tissue massage.



030809



050060

Provides deep pressure massage with minimal amount of arm movement.

SOFT TISSUE MOBILIZATION

Sastm Instruments

- Includes instruments, SASTM cream, interactive CD ROM and manual in a hard carrying case and free introductory seminar in the U.S.

	Description
030700	6 SASTM Instruments
030701	8 SASTM Instruments

DIATHERMY

Auto*Therm® 390 & 391

- World's first portable diathermy.
- Basic unit comes with (2) soft-rubber plate capacitive applicators with flexible cables, (6) felt spacers, (2) cloth covers, (2) elastic straps, power cord and instruction.
- The 391 comes with the basic unit plus the utility cart, (4) joint arm and 14cm coil applicator.

	Description
030391	Auto*Therm® 390
030392	Auto*Therm® 391

Auto*Therm® 395

- Continuous and pulsed modes.
- Inductive and capacitive applicators.
- (8) different treatment optional applicators available.
- Easy to setup and operate

	Description
030196	With Capacitive Plate Applicators, Inductive drum and two arms.

ULTRA-VIOLET LAMPS

Infrared Lamp

- Extends over bed or table 17".
- Non-luminous, ceramic heater provides uniform heat transmission with 96% thermal efficiency.
- (5) leg mobile base.

	Description
030677	Infrared Lamp; Professional
030678	Infrared Lamp with (2) Heads

Ultra-Violet Lamp

- Irradiance: 64% at 320-400nm; 36% at 260-320nm.
- Includes (10) minute timer switch, protective wire and guard and goggles.
- Extends over vase 12". Height adjustment: 42" to 62.5". (5) leg. 23" diameter composite base.

	Description
030671	Ultra-Violet Lamp; Table Base
030674	Ultra-Violet Lamp; Combo UV-Ir; Table Model

With Mobile Base

030670	Ultra-Violet Lamp; Mobile Base
--------	--------------------------------



030700b
Knee - Neck and Back Pain -
Planter Fasciitis - Lateral Epicondylitis



030700



030391
Portable shortwave diathermy featuring
pulsed and continuous modes, utilizes
both coil and capacitive electrodes.

030392



030196



030677
750 watt ceramic heating
element with indicator light,
timer and variable heat control.



030678
Equipped with (2) 250W ruby
infrared bulbs. The red color
provides a 95% reduction in glare.



030671
Consistent output, controllable dosage,
simple to operate. Combination of
800W ultra-violet and 600W infrared.



030670
Consistent output, controllable
dosage, simple to operate.